

Islamic Azad University-Ahar Branch Geographic Space An Approved Scientific, Research-based Quarterly

Kazem Khoshdel<sup>1</sup> Mohammad Hossein Rezaei Moghaddam<sup>2</sup> Abdollah Behboodi<sup>3</sup>

## Morphometry of Ahar Chay Meanders at Ozomdel Plain of Varzegan and Geomorphologic Impacts of Overflow

Date received: 5 July 2011

Date accepted: 21 June 2012

## Abstract

Fluvial forms are important subjects in geomorphology. With regards to energy in water flow, rivers can be considered as important morphogenetic factors. Rivers flow in different states on the earth surface. Overflowing of rivers causes geomorphologic features in bed, course and floodplain. The following items are studied in this research: 1) estimating maximum discharge in some sections of meanders, 2) forms of beds 3) forms of overflowed lands 4) features on the courses of river because of overflowing. Cutting, side erosion, and sedimentation after overflowing are most important problems which take place in meanders. Moreover of field studies and morphometries of channels in the laboratory aerial photos, geologic maps (S. 1:100000), topographic maps (S. 1:250000) of the studying region through software

<sup>1 -</sup> Geomorphologist, MSc, University of Tabriz.

<sup>2 -</sup> Ph.D, Geomorphologist, University of Tabriz.

<sup>3 -</sup> Geomorphologist, MSc, University of Tabriz.

such as ArcView, AutoCAD and Excel which are used for pursuing these aims. The results have shown that most of the cutting activities and channel changes are related to large periodical floods.

**Keywords:** Morphometry, Geomorphology, Erosion, Overflow, Meander, Ozomdel Plain.